

PRODUCT GUIDE

LANDSCAPE LIGHTING

FXLuminaire®



FINISHES

Metals								Powder coat – Standard					Powder coat – Specialty [†]				Composites	
AB Antique Bronze on Copper	AB Antique Bronze on Brass	AT Antique Tumbled on Copper	AT Antique Tumbled on Brass	CU Copper	BS Natural Brass	SS Stainless Steel	NP [‡] Nickel Plate	BZ Bronze Metallic	DG Desert Granite	WI Weathered Iron	SB Sedona Brown	FB Black	WG [‡] White Gloss	FW [‡] Flat White	AL [‡] Almond	SV [‡] Silver	CB Camo Bronze	DT Desert Tan

DESIGNER SERIES

Designer LED Up Lights ▼

◀ QZ

Height: 5.8" (146 mm)
Diameter: 1.8" (45 mm)
LEDs: 1
Finishes: BZ, DG, WI, SB, FB, WG[‡], FW[‡], AL[‡], SV[‡]
Material: Aluminum



◀ FB + color

Height: 7.5" (191 mm)
Diameter: 2.0" (51 mm)
LEDs: 1, 3
Finishes: BZ, DG, WI, SB, FB, WG[‡], FW[‡], AL[‡], SV[‡]
Material: Aluminum



◀ NP + color

Height: 8.4" (213 mm)
L Shroud: 10.3" (269 mm)
Diameter: 2.7" (68 mm)
LEDs: 3, 6, 9
Finishes: BZ, DG, WI, SB, FB, WG[‡], FW[‡], AL[‡], SV[‡]
Material: Aluminum

◀ QB

Height: 6.0" (151 mm)
Width: 2.9" (75 mm)
Depth: 2.2" (55 mm)
LEDs: 1
Finishes: BZ, DG, WI, SB, FB, WG[‡], FW[‡], AL[‡], SV[‡]
Material: Aluminum



◀ PB + color

Height: 6.7" (171 mm)
Width: 4.0" (102 mm)
Depth: 2.2" (57 mm)
LEDs: 1, 3
Finishes: AB, AT, BS, NP[‡], BZ, DG, WI, SB, FB, WG[‡], FW[‡], AL[‡], SV[‡]
Material: Brass or Aluminum



◀ LC + color

Height: 6.5" (165 mm)
Width: 4.5" (114 mm)
Depth: 3.0" (76 mm)
LEDs: 3, 6, 9
Finishes: AB, AT, BS, NP[‡], BZ, DG, WI, SB, FB, WG[‡], FW[‡], AL[‡], SV[‡]
Material: Brass or Aluminum

◀ FR + color

Height: 7.0" (170 mm)
L Shroud: 8.0" (200 mm)
Diameter: 2.5" (64 mm)
LEDs: 1, 3
Finishes: CU, AB, AT, NP[‡]
Material: Copper/Brass




◀ NR + color

Height: 7.0" (170 mm)
L Shroud: 8.0" (200 mm)
Diameter: 2.5" (64 mm)
LEDs: 3, 6, 9
Finishes: CU, AB, AT, NP[‡]
Material: Copper/Brass

◀ CC + color

Height: 5.3" (133 mm)
L Shroud: 6.4" (163 mm)
Diameter: 1.6" (41 mm)
LEDs: 1, 3
Finishes: AB, AT, BS, NP[‡]
Material: Brass



◀ VS + color

Height: 7.6" (193 mm)
L Shroud: 8.3" (212 mm)
Diameter: 2.5" (64 mm)
LEDs: 3, 6, 9
Finishes: AB, AT, BS, NP[‡]
Material: Brass

Designer LED Down Lights ▼


◀ QT

Height: 6.8" (173 mm)
Diameter: 2.1" (53 mm)
LEDs: 1
Finishes: BZ, DG, WI, SB, FB, WG[‡], FW[‡], AL[‡], SV[‡]
Material: Aluminum



◀ JB + color

Height: 8.9" (226 mm)
Diameter: 2.4" (59 mm)
LEDs: 1, 3
Finishes: BZ, DG, WI, SB, FB, WG[‡], FW[‡], AL[‡], SV[‡]
Material: Aluminum



◀ DE + color

Height: 9.7" (246 mm)
Diameter: 3.0" (76 mm)
LEDs: 3, 6, 9
Finishes: BZ, DG, WI, SB, FB, WG[‡], FW[‡], AL[‡], SV[‡]
Material: Aluminum

Designer LED Down Lights ▼



LE

Height: 3.3" (83 mm)
Diameter: 1.6" (41 mm)
LEDs: 1
Finishes: AB, AT, BS, CU, NP[†], BZ, DG, WI, SB, FB, WG[†], FW[†], AL[†], SV[†]
Material: Aluminum or Copper/Brass



VE + color

Height: 3.1" (79 mm)
Diameter: 2.3" (59 mm)
LEDs: 1, 3
Finishes: AB, AT, BS, CU, NP[†], BZ, DG, WI, SB, FB, WG[†], FW[†], AL[†], SV[†]
Material: Aluminum or Copper



RC

Depth: 3.5" (89 mm)
Width: 5.5" (140 mm)
LEDs: 1, 3, 6, 9
Finishes: BZ, DG, WI, SB, FB, WG[†], FW[†], SV[†]
Material: Aluminum



NL + color

Height: 3.3" (84 mm)
Width: 3.2" (81 mm)
LEDs: 1, 3, 6, 9
Finishes: AB, AT, BS, CU, NP[†], BZ, DG, WI, SB, FB, WG[†], FW[†], AL[†], SV[†]
Material: Brass or Aluminum



PS + color

Height: 3.3" (84 mm)
Diameter: 3.2" (81 mm)
LEDs: 1, 3, 6, 9
Finishes: AB, AT, BS, NP[†], CU, BZ, DG, WI, SB, FB, WG[†], FW[†], AL[†], SV[†]
Material: Brass or Aluminum



SD + color

Height: 6.9" (175 mm)
Depth: 4" (102 mm)
LEDs: 3, 6, 9
Finishes: BZ, DG, WI, SB, FB, WG[†], FW[†], SV[†]
Material: Aluminum

Designer LED Wall Lights ▼



PO

Diameter: 1.5" (38 mm) conduit
Height: 2.5" (64 mm)
LEDs: 1
Finishes: AB, AT, BS, NP[†], BZ, DG, WI, SB, FB, WG[†], FW[†], AL[†], SV[†]
Material: Brass



MO + color

Diameter: 2" (51 mm) conduit
Height: 3.3" (83 mm)
LEDs: 1, 3
Finishes: AB, AT, BS, NP[†], BZ, DG, WI, SB, FB, WG[†], FW[†], AL[†], SV[†]
Material: Brass



MS

Diameter: 3.7" (94 mm)
Depth: 2.0" (51 mm)
LEDs: 1
Finishes: AB, AT, BS, NP[†], BZ, DG, WI, SB, FB, WG[†], FW[†], AL[†], SV[†]
Material: Aluminum or Brass



LF

Height: 0.9" (22 mm)
Width: 6.7" (170 mm)
Depth: 3.6" (92 mm)
LEDs: 1
Finishes: AB, AT, BS, CU, SS, BZ, DG, WI, SB, FB, WG[†], FW[†], AL[†], SV[†]
Material: Brass
 Bracket: Stainless Steel



CP/LM

CP Width: 5.0" (127 mm)
LM Width: 9.0" (229 mm)
Height: 3.5" (89 mm)
LEDs: 1 (CP); 2 (LM)
Finishes: AB, AT, CU, NP[†], BZ, DG, WI, SB, FB, WG[†], FW[†], AL[†], SV[†]
Material: Copper



UN/PD

UN Width: 5.0" (127 mm)
PD Width: 9.0" (229 mm)
Height: 3.5" (89 mm)
LEDs: 1 (UN); 2 (PD)
Finishes: AB, AT, BS, NP[†], BZ, DG, WI, SB, FB, CB, DT, WG[†], FW[†], AL[†], SV[†]
Material: Brass or Composite

Designer LED Path/Area Lights ▼



HC

Diameter: 3.6" (92 mm)
Height: 15.0" (381 mm)*
LEDs: 1
Finishes: AB, AT, CU, NP[†], BZ, DG, WI, SB, FB, WG[†], FW[†], AL[†], SV[†]
Material: Copper/Brass
Riser Required: P[†]



JS + color

Diameter: 6.3" (160 mm)
Height: 16.5" (419 cm)*
LEDs: 1, 3
Finishes: AB, AT, CU, NP[†], BZ, DG, WI, SB, FB, WG[†], FW[†], AL[†], SV[†]
Material: Copper/Brass
Riser Required: G[†]



PF/DM + color

PF Diameter: 5.0" (127 mm)
Riser Required: P[†]
DM Diameter: 7.1" (180 mm)
Riser Required: G[†]
Finishes: AB, AT, CU, NP[†], BZ, DG, WI, SB, FB, WG[†], FW[†], AL[†], SV[†]
LEDs: 1 (PF); 1, 3 (DM)
Material: Copper/Brass



SC/CA + color

SC Diameter: 4.7" (119 mm)
Riser Required: P[†]
CA Diameter: 7.4" (188 mm)
Riser Required: G[†]
LEDs: 1 (SC); 1, 3 (CA)
Finishes: AB, AT, CU, NP[†], BZ, DG, WI, SB, FB, WG[†], FW[†], AL[†], SV[†]
Material: Copper/Brass



BD/CB + color

BD Diameter: 4.7" (119 mm)
Riser Required: P[†]
CB Diameter: 7.4" (188 mm)
Riser Required: G[†]
LEDs: 1 (BD); 1, 3 (CB)
Finishes: AB, AT, CU, NP[†], BZ, DG, WI, SB, FB, WG[†], FW[†], AL[†], SV[†]
Material: Copper/Brass



PR/CV + color

PR Diameter: 3.8" (97 mm)
Riser Required: P[†]
CV Diameter: 7.4" (188 mm)
Riser Required: G[†]
LEDs: 1 (PR); 1, 3 (CV)
Finishes: AB, AT, CU, NP[†], BZ, DG, WI, SB, FB, WG[†], FW[†], AL[†], SV[†]
Material: Copper/Brass

* LED path lights are ordered in two parts: 1) Top Assembly and 2) Riser Assembly.
 † Items in this finish are not returnable.

Designer LED Path/Area Lights ▼

◀ PL + color



Height: 15.0" (381 mm)*
Diameter: 6.0" (152 mm)
LEDs: 1, 3
Finishes: BZ, DG, WI, SB, FB, WG[†], FW[†], AL[‡], SV[‡]
Material: Aluminum
Riser Required: A*



◀ TM + color

Height: 15.0" (381 mm)*
Diameter: 5.0" (127 mm)
LEDs: 1, 3
Finishes: BZ, DG, WI, SB, FB, WG[†], FW[†], AL[‡], SV[‡]
Material: Aluminum
Riser Required: A*



◀ RW + color

Height: 7.6" (193 mm)
Diameter: 4.1" (103 mm)
LEDs: 1, 3, 6, 9
Finishes: BZ, DG, WI, SB, FB, SV[‡], WG[†], FW[†], AL[‡], SV[‡]
Material: Aluminum

◀ PM + color



Height: 14.0" (356 mm)
XT Height: 18.5" (470 mm)
Diameter: 2.5" (64 mm)
LEDs: 1, 3, 6, 9
Finishes: BZ, DG, WI, SB, FB, SV[‡], WG[†], FW[†], AL[‡]
Material: Aluminum



◀ M-PL + color

Height: 22.0" (559 mm)
Diameter: 5.0" (127 mm)
LEDs: 1
Finishes: BZ, DG, WI, SB, FB, WG[†], FW[†], AL[‡], SV[‡]
Material: Aluminum



◀ TD + color

Height: 18.0" (457 mm)
XT Height: 29.5" (749 mm)
Diameter: 5.0" (127 mm)
LEDs: 1, 3, 6, 9
Finishes: AB, AT, CU, NP[†], BZ, DG, WI, SB, FB, WG[†], FW[†], AL[‡], SV[‡]
Material: Copper/Brass

Designer LED Underwater Light ▼

◀ FG + color



Height: 22.0" (559 mm)
Diameter: 5.0" (127 mm)
LEDs: 1, 3, 6, 9
Finishes: AB, AT, CU, NP[†], BZ, DG, WI, SB, FB, WG[†], FW[†], AL[‡], SV[‡]
Material: Copper/Brass



◀ LP + color

Diameter: 2.7" (69 mm)
Height: 1.9" (48 mm)
LEDs: 1, 3
Finish: BS
Lead: 30' (9 m) or 100' (30 m)
Material: Brass



◀ LL + color

Length: 6.4" (163 mm)
Diameter: 3.3" (84 mm)
Height: 5.3" (134 mm)
LEDs: 1, 3, 6, 9
Finish: BS
Lead: 30' (9 m) or 100' (30 m)
Material: Brass

Designer LED In-Grade & Well Lights ▼

Ring (RG) Cowling (CW)



Ground Wash (GW)



Louver (LV)

◀ FC + color

Height: LV: 5.1" (130 mm)
 RG: 4.8" (122 mm)
 CW: 6.8" (173 mm)
 GW: 5.7" (145 mm)
Diameter: 4.0" (102 mm)
LEDs: 1, 3, 6, 9
Finish: AB, AT, BS, NP[†], BZ, DG, WI, SB, FB, WG[†], FW[†], AL[‡], SV[‡]
Material: Brass



◀ PE + color

Height: 7.6" (193 mm)
Diameter: 4.1" (103 mm)
LEDs: 3, 6, 9
Finish: CB
Material: Composite



◀ KG + color

Diameter: 6.0" (152 mm)
Height: 9.2" (234 mm)
LEDs: 3, 6, 9
Finishes: AB, AT, BS, NP[†], BZ, DG, WI, SB, FB, WG[†], FW[†], AL[‡]
Material: Brass or Aluminum

Designer LED Specialty Light ▼

◀ BQ



Length: 24.0" (610 mm)
Diameter:
 Head: 1.8" (45 mm)
 Base: 3.6" (94 mm)
LEDs: 1
Finishes: SS
Material: Stainless Steel

STANDARD SERIES

Standard Up Lights ▼

◀ MP



Height: 5.0" (127 mm)
Diameter: 1.6" (41 mm)
Lamp Base: MR-11
Finishes: BZ, DG, WI, SB, FB, WG[†], FW[†], AL[‡], SV[‡]
Material: Zinc



◀ RS

Height: 6.5" (165 mm)
L Shroud: 7.8" (199 mm)
Diameter: 2.4" (61 mm)
Lamp Base: MR-16
Finishes: BZ, DG, WI, SB, FB, WG[†], FW[†], AL[‡], SV[‡]
Material: Zinc



◀ MU

Height: 7.5" (191 mm)
L Shroud: 8.7" (221 mm)
Diameter: 2.4" (61 mm)
Lamp Base: MR-16
Finishes: BZ, DG, WI, SB, FB, WG[†], FW[†], AL[‡], SV[‡]
Material: Aluminum

Standard Up Lights ▼

◀ C-UL

Height: 5.0" (127 mm)
 Diameter: 1.6" (41 mm)
 Lamp Base: MR-16
 Finish: AB
 Material: Brass



◀ LR

Height: 6.0" (153 mm)
 L Shroud: 7.5" (191 mm)
 Diameter: 2.4" (61 mm)
 Lamp Base: MR-16
 Finishes: CU, NP[‡]
 Material: Copper/Brass



◀ LO

Height: 6.0" (153 mm)
 Diameter: 2.3" (57 mm)
 Lamp Base: MR-16
 Finishes: BS, NP[‡]
 Material: Brass

◀ WS

Height: 7.1" (180 mm)
 Width: 3.9" (100 mm)
 Lamp Base: G4
 Finishes: BZ, DG, WI, SB, FB, WG[‡], FW[‡], AL[‡], SV[‡]
 Material: Aluminum



◀ RL

Height: 6.5" (165 mm)
 Diameter: 4.0" (102 mm)
 Lamp Base: G4
 Finishes: CU, NP[‡], BZ, DG, WI, SB, FB, WG[‡], FW[‡], AL[‡], SV[‡]
 Material: Copper/Brass



◀ C-WW

Height: 6.5" (165 mm)
 Width: 4.0" (102 mm)
 Lamp Base: G4
 Finish: AB
 Material: Brass

Standard Path/Area Lights ▼

◀ SP(-A)

Height: 15.5" (394 mm)*
 Diameter: 3.6" (92 mm)
 Lamp Base: G4
 Finishes: AB, AT, CU, NP[‡], BZ, DG, WI, SB, FB, WG[‡], FW[‡], AL[‡], SV[‡]
 Material: Copper/Brass or Aluminum



◀ DL(-A)

Height: 15.0" (381 mm)*
 Diameter: 6.3" (159 mm)
 Lamp Base: G4
 Finishes: AB, AT, CU, NP[‡], BZ, DG, WI, SB, FB, WG[‡], FW[‡], AL[‡], SV[‡]
 Material: Copper/Brass or Aluminum



◀ PF/DM(-A)

PF Diameter: 4.0" (102 mm)
 DM(-A) Diameter: 7.1" (180 mm)
 Lamp Base: G4
 Finishes: CU, NP[‡], BZ, DG, WI, SB, FB, WG[‡], FW[‡], AL[‡], SV[‡]
 Material: Copper/Brass or Aluminum

◀ SC/CA(-A)

SC Diameter: 4.7" (119 mm)
 CA(-A) Diameter: 7.4" (188 mm)
 Lamp Base: G4
 Finishes: CU, NP[‡], BZ, DG, WI, SB, FB, WG[‡], FW[‡], AL[‡], SV[‡]
 Material: Copper/Brass or Aluminum



◀ BD/CB

BD Diameter: 4.7" (119 mm)
 CB Diameter: 7.4" (188 mm)
 Lamp Base: G4
 Finishes: CU, NP[‡], BZ, DG, WI, SB, FB, WG[‡], FW[‡], AL[‡], SV[‡]
 Material: Copper/Brass



◀ PR/CV

PR Diameter: 3.8" (97 mm)
 CV Diameter: 7.1" (180 mm)
 Lamp Base: G4
 Finishes: CU, NP[‡], BZ, DG, WI, SB, FB, WG[‡], FW[‡], AL[‡], SV[‡]
 Material: Copper/Brass

◀ AP/AN

AP Diameter: 3.9" (99 mm)
 AN Diameter: 6.3" (160 mm)
 Lamp Base: G4
 Finishes: CU, NP[‡], BZ, DG, WI, SB, FB, WG[‡], FW[‡], AL[‡], SV[‡]
 Material: Copper/Brass



◀ C-PL-4/7

C-PL-4 Diameter: 4.3" (109 mm)
 C-PL-7 Diameter: 6.5" (165 mm)
 Riser Diameter: 1.0" (25 mm)
 Lamp Base: G4
 Finish: AB
 Material: Brass



◀ DP

Height: 13.5" (343 mm)*
 Diameter: 2.9" (74 mm)
 Lamp Base: G4
 Finishes: CU, NP[‡], BZ, DG, WI, SB, FB, WG[‡], FW[‡], AL[‡]
 Material: Copper/Brass

◀ AL

Height: 27.5" (699 mm)
 Diameter: 6.0" (152 mm)
 Lamp Base: Single Contact Bayonet
 Finishes: BZ, DG, WI, SB, FB, WG[‡], FW[‡], AL[‡], SV[‡]
 Material: Aluminum



◀ TD

Height: 18.0" (457 mm)
 XT: 29.5" (749 mm)
 Diameter: 5.0" (127 mm)
 Lamp Base: Single Contact Bayonet
 Finishes: CU, NP[‡], BZ, DG, WI, SB, FB, WG[‡], FW[‡], AL[‡], SV[‡]
 Material: Copper/Brass



◀ FG

Height: 22.0" (559 mm)
 Diameter: 5.0" (127 mm)
 Lamp Base: Single Contact Bayonet
 Finishes: CU, NP[‡], BZ, DG, WI, SB, FB, WG[‡], FW[‡], AL[‡], SV[‡]
 Material: Copper/Brass

*Items in this finish are not returnable.

Standard Path/Area Lights ▼

◀ GT



Height: 14.0" (356 mm)*
Diameter: 4.0" (102 mm)
Lamp: G4 Xenon or Halogen
Finishes: CU, NP[†], BZ, DG, WI, SB, FB, WG[†], FW[†], AL[†], SV[†]
Material: Copper/Brass

◀ TM



Height: 15.0" (381 mm)*
Diameter: 5.0" (127 mm)
Lamp Base: G4
Finishes: BZ, DG, WI, SB, FB, WG[†], FW[†], AL[†], SV[†]
Material: Aluminum

◀ PL



Height: 15.0" (381 mm)*
Diameter: 6.0" (152 mm)
Lamp Base: G4
Finishes: BZ, DG, WI, SB, FB, WG[†], FW[†], AL[†], SV[†]
Material: Aluminum

◀ DS



Height: 19.0" (483 mm)*
2T: 16.0" (406 mm)*
Diameter: 6.0" (152 mm)
Lamp: G4 Xenon or Halogen
Finishes: BZ, DG, WI, SB, FB, WG[†], FW[†], AL[†], SV[†]
Material: Aluminum


◀ DR



Height: 19.0" (483 mm)*
2T: 16.5" (419 mm)*
Diameter: 10.0" (254 mm)
Lamp: G4 Xenon or Halogen
Finishes: BZ, DG, WI, SB, FB, WG[†], FW[†], AL[†], SV[†]
Material: Aluminum

Standard Wall Lights ▼

◀ MM



Depth: 1.8" (45 mm)
Diameter: 3.3" (83 mm)
Lamp: G4 Xenon or Halogen
Finishes: BS, NP[†], BZ, DG, WI, SB, FB, WG[†], FW[†], AL[†], SV[†]
Material: Brass or Aluminum

◀ BP




Height: 1.0" (25 mm)
Width: 6.8" (172 mm)
Depth: 3.5" (89 mm)
Lamp: G4 Xenon or Halogen
Finishes: CU, BS, SS, NP[†], BZ, DG, WI, SB, FB, WG[†], FW[†], AL[†], SV[†]
Material: Stainless Steel

◀ UN/PD



UN Face Width: 5.0" (127 mm)
PD Face Width: 9.0" (229 mm)
Face Height: 3.5" (89 mm)
Lamp: G4 Xenon or Halogen
Finishes: BS, NP[†], BZ, DG, WI, SB, FB, CB, DT, WG[†], FW[†], AL[†], SV[†]
Material: Brass or Composite

◀ CP/LM



CP Face Width: 5.0" (127 mm)
LM Face Width: 9.0" (229 mm)
Face Height: 3.5" (89 mm)
Lamp: G4 Xenon or Halogen
Finishes: CU, NP[†], BZ, DG, WI, SB, FB, WG[†], FW[†], AL[†], SV[†]
Material: Copper

Standard Down Lights ▼

◀ CG




Face Diameter: 3" (76 mm)
Box Length: 3.1" (79 mm)
Box Diameter: 2.0" (51 mm)
Lamp: Halogen MR-8
Finishes: BS, NP[†], BZ, DG, WI, SB, FB, WG[†], FW[†], AL[†], SV[†]
Material: Brass

◀ TS



Length:
 TS-20/35: 5.0" (127 mm)
 TS-50: 6.5" (165 mm)
Diameter:
 TS-20/35: 2.0" (51 mm)
 TS-50: 2.5" (64 mm)
Lamp: Halogen AR-11/20
Finishes: CU, NP[†], BZ, DG, WI, SB, FB, WG[†], FW[†], AL[†], SV[†]
Material: Copper or Aluminum

◀ MD



Length: 9.5" (241 mm)
Diameter: 2.6" (66 mm)
Lamp: Halogen MR-16
Finishes: BZ, DG, WI, SB, FB, WG[†], FW[†], AL[†], SV[†]
Material: Aluminum

◀ C-DL



Length: 10.7" (272 mm)
Diameter: 2.9" (73 mm)
Lamp: MR-16
Finish: AB
Material: Brass

◀ LS



Height: 3.0" (76 mm)
Diameter: 1.4" (35 mm)
Lamp: Incandescent
Finishes: CU, NP[†]
Material: Copper/Brass

◀ VL



Height: 4.5" (114 mm)
Diameter: 2.0" (51 mm)
Lamp: Halogen AR-11
Finishes: CU, NP[†], BZ, DG, WI, SB, FB, WG[†], FW[†], AL[†], SV[†]
Material: Copper/Brass

Standard In-Grade/Well Lights ▼

◀ TC



Height: 3.5" (89 mm)
Width: 2.8" (70 mm)
Length: 2.8" (70 mm)
Lamp: Halogen AR-11
Finishes: CU, NP[†], BZ, DG, WI, SB, FB, WG[†], FW[†], AL[†], SV[†]
Material: Copper

◀ CL



Height: 3.5" (89 mm)
Diameter: 3.3" (83 mm)
Lamp: Halogen AR-11/20
Finishes: CU, NP[†], BZ, DG, WI, SB, FB, WG[†], FW[†], AL[†], SV[†]
Material: Copper

◀ FC



Height:
 LV: 5.1" (130 mm)
 RG: 4.8" (122 mm)
 CW: 6.8" (173 mm)
Diameter: 4.0" (102 mm)
Lamp: Halogen MR-11
Finishes: BS, NP[†], CB, DT
Material: Brass or Composite

Ring (RG) Cowling (CW)



Louver (LV)

◀ RP

Height:
LV: 9.3" (236 mm)
RG: 9.0" (229 mm)
CW: 11.0" (279 mm)
Diameter: 6.8" (171 mm)
Lamp: Halogen MR-16
Finishes: BS, NP[†], CB, DT
Material: Brass or Composite



◀ CF

Height: 9.0" (229 mm)
Diameter: 6.0" (152 mm)
Lamp: Halogen PAR36
Finishes: CB, DT
Material: Composite



◀ TE

Height: 12.3" (311 mm)
Diameter: 6.4" (163 mm)
Lamp: Halogen MR-16
Finishes: BS, NP[†]
Material: Brass

TRANSFORMERS, CONTROLLERS & ACCESSORIES

Transformers ▼

◀ EX

Height: 12.0" (305 mm)
Width: 5.0" (127 mm)
Depth: 5.5" (140 mm)
Watts: 150
Finish: M



◀ PX

Height: 13.5" (343 mm)
Width: 7.5" (191 mm)
Depth: 6.0" (152 mm)
Watts: 300, 600, 900
Finishes: SS, WG[†], FW[†], AL[†], BZ, DG, WI, SB, FB



◀ DX

Height: 11.4" (289 mm)
Width: 7.1" (181 mm)
Depth: 5.0" (128 mm)
Watts: 150, 300
Finishes: SS, M



Luxor Controller ▼

◀ LUXOR

Height: 13.0" (330 mm)
Width: 8.0" (203 mm)
Depth: 5.0" (127 mm)
Watts: 150, 300
Finishes: SS, M



◀ LUXOR SATELLITE

Height: 13.0" (330 mm)
Width: 8.0" (203 mm)
Depth: 5.0" (127 mm)
Watts: 300
Finishes: SS, M



Luxor Accessories ▼

◀ LUXOR CUBE

With the Luxor CUBE, the Luxor controller can now zone and dim other brands of low-voltage and line-voltage light fixtures.



◀ LAM

Light Assignment Module for use with Luxor Wi-Fi technology



◀ APP COMMUNICATION

Wi-Fi module with antenna or LAN module for Cat 6 wired connection



Retrofit Lamps ▼

◀ MR-16 LED LAMPS

Base: GU5.3
Beam Angles: 4
Max Lumens: 260-370 lm



◀ G4 LAMPS

Base: T3
Max Lumens: 76-123 lm



Mounting Accessories ▼

◀ RISERS AND COUPLINGS

Couplings and risers offer installation flexibility and customization for at-grade or wall-mounted applications.



◀ MOUNTS

Use mounts and junction boxes for a clean look and installation.



[†]Items in this finish are not returnable.

FXLuminaire

A Hunter Industries Company

Our mission is to create the most energy-efficient lighting products in the world while maintaining the highest level of quality and reliability. In every instance we will back our innovations with the unwavering support our customers need to succeed.



Gregory R. Hunter, CEO of Hunter Industries

Website fxl.com | Customer Support 760-744-5240 | Technical Service 760-591-7383

This brochure was printed on Forest Stewardship Council® (FSC®) certified paper with soy inks. The FSC is an international organization established to promote the responsible management of the world's forests.

© 2018 Hunter Industries Incorporated  Please recycle.

FXLIT-177-PG-EN E 8/18



Printed using
100% Wind
Energy, (RECs)