

INTERNATIONAL PRODUCT PORTFOLIO

Landscape & Architectural Lighting

FXLuminaire®





DESIGNER SERIES

FX Luminaire Designer Series fixtures are engineered for peak performance — from the ground up.



NP Up Light

This highly versatile up light is built to accommodate all aspects of your up-lighting needs.

Height: 216 mm
Long Shroud: 264 mm
Diameter: 69 mm
Lamp: Integrated LED
Finish: BZ, DG, WI, SB, FB, FW[†], SV[†]
Material: Aluminium



FR Up Light

Bring the elegance and performance of precious metals to any project with this stylish fixture.

Height: 155 mm
Long Shroud: 178 mm
Diameter: 50 mm
Lamp: Integrated LED
Finish: CU, AB^{*}, AT^{*}, NP[†]
Material: Copper/Brass
CE Required Accessory: GM-XX^{**}



VS Up Light

First-class LED technology combines with premium materials to create a fixture that is truly unparalleled.

Height: 191 mm
Long Shroud: 208 mm
Diameter: 64 mm
Lamp: Integrated LED
Finish: BS, AB^{*}, AT^{*}, NP[†]
Material: Brass
CE Required Accessory: EKITSPIKE



PB Wall Wash

Featuring a wider angle, this compact LED wall wash offers a broader lighting option for larger structures and spaces.


Height: 152 mm
Width: 98 mm
Depth: 50 mm
Lamp: Integrated LED
Finish: BZ, DG, WI, SB, FB, FW[†], SV[†], BS, AB^{*}, AT^{*}, NP[†]
Material: Brass or Aluminium



M-PL Path Light

This ultra-modern path light combines the versatility of die-cast aluminium with minimalist aesthetics to complement a range of contemporary installations.

Height: 541 mm
Width: 55 mm
Depth: 187 mm
Lamp: Integrated LED
Finish: BZ, DG, WI, SB, FB, FW[†], SV[†]
Material: Aluminium



M-PJ Path Light

Add style and functionality to modern installations with this sleek fixture constructed of durable aluminium that stands up to the elements.

Height: 561 mm
Width: 71 mm
Depth: 187 mm
Lamp: Integrated LED
Finish: BZ, DG, WI, SB, FB, FW[†], SV[†]
Material: Aluminium



DESIGNER SERIES

When control, longevity, effects, and ease of use are important factors, the Designer Series is the best choice.



M-PZ Path Light

Engineered with highly durable die-cast aluminium, this versatile path light is a perfect addition to modern lighting designs.

Height: 561 mm
Width: 64 mm
Depth: 187 mm
Lamp: Integrated LED
Finish: BZ, DG, WI, SB, FB, FW[†], SV[†]
Material: Aluminium



ST



RD



SQ



WW



PO Recessed Wall Light

This fixture's unique design provides glare-free illumination that allows guests to transition from space to space in comfort and safety.

Height: 64 mm
Diameter: 41 mm
Lamp: Integrated LED
Finish: BZ, DG, WI, SB, FB, FW[†], SV[†], BS, AB[†], AT[†], NP[†]
Material: Aluminium
CE Required Accessory: EKITWALL

Copper Sleeve



Copper Perforated Sleeve



VE Pendant

When hung from architectural elements or trees, this elegant fixture softly illuminates areas from above.

Height: 109 mm
Diameter: 58 mm
Lamp: Integrated LED
Finish: BZ, DG, WI, SB, FB, FW[†], SV[†], CU, AB[†], AT[†], NP[†]
Material: Aluminium or Copper/Brass



CB (Grid)



KG Well Light

This subterranean LED fixture offers flat- and angled-top options in a variety of colours.

Height: 229 mm
Diameter: 152 mm
Lamp: Integrated LED
Finish: BZ, DG, WI, FB, SB, CB, FW[†], SV[†], BS, AB[†], AT[†], NP[†]
Material: Brass, Aluminium, or Composite



HP-48 Paver Light

Use this sturdy, sleek paver light to open a range of exciting possibilities for creative lighting design in classic or contemporary applications.

Height: 79 mm
Width: 102 mm
Depth: 203 mm
Lamp: Integrated LED
Finish: DS
Material: Composite and Glass



LL Underwater Light

Bring the efficiency and reliability of LED technology to underwater applications with this durable fixture.

Height: 102 mm
Diameter: 81 mm
Lamp: Integrated LED
Finish: BS
Material: Brass



DESIGN YOUR WORLD

Provide the perfect configuration for every installation with Designer Series fixtures.




Control



Up Lights



Path Lights



Wall Lights



Down Lights




Wall Washes

See complete details for our full line of CE certified products at fxl.com/ce.

Lighting Effects

Create Visual Interest with Light: Use professional techniques such as moonlighting, mirroring, silhouetting, and shadowing to add visual interest and depth to any lighting design.



Moonlighting



Mirroring



Silhouetting



Shadowing







LOOK ON THE BRIGHT SIDE

Designer Series outdoor lighting solutions powered by Luxor® Technology push the boundaries of lighting design.

Intensity


Control the Lighting

Experience: With Luxor Technology, you can create up to 250 independently adjustable lighting groups with fixtures that have a 1, 3, 6, or 9 LED capacity. You can even turn all groups on independently and dim them from 0-100%.



Beam Spread


Very
Narrow




Spot



Flood



Wide
Flood



FX Luminaire Designer Series fixtures have integrated LEDs that offer many beam angle options for maximum lighting design flexibility.

Adjust to your preference using Very Narrow, Spot, Flood, or Wide Flood lenses ranging from 10° to 60°.



STANDARD SERIES

Use FX Luminaire Standard Series fixtures to accent foliage, create ambience and visual interest, highlight stonework or other architectural features, illuminate walkways to increase safety, and more.



MU Up Light

A versatile, classic aluminium up light that accepts MR-16 lamps.

Height: 183 mm
Long Shroud: 221 mm
Diameter: 56 mm
Lamp: MR-16
Finish: BZ, DG, WI, FB, SB, FW*, SV*
Material: Aluminium



SP-A Path Light

Designed for minimalist themes, this fixture's beam spread provides maximum projection with low glare.

Height: 368 mm
Diameter: 92 mm
Lamp: G4
Finish: BZ, DG, WI, FB, SB, FW*, SV*
Material: Aluminium
CE Required Accessory: GM-XX**



UN Recessed Step Light

Experience clean illumination with gentler, more organic lines.

Height: 91 mm
Width: 132 mm
Depth: 112 mm
Exposed Depth: 28 mm
Lamp: G4
Finish: BZ, DG, WI, FB, SB, FW*, SV*, BS, NP*, CB, DT
Material: Brass or Composite
CE Required Accessory: EKITWALL



Ring



Louvre



Cowling

FC In-Grade Light

This subterranean well light provides controlled, glare-free illumination for smaller spaces.

Height: RG: 122 mm
 LV: 130 mm
 CW: 173 mm
Diameter: 102 mm
Lamp: MR-16
Finish: BS, NP*, CB, DT
Material: Brass or Composite



FINISHES

Metal



AB on copper
Antique Bronze



AB on brass
Antique Bronze



AT on copper
Antique Tumbled



AT on brass
Antique Tumbled



CU
Copper



NP
Nickel Plate



BS
Natural Brass



SS
Stainless Steel

Powder Coat: Standard



BZ
Bronze Metallic



DG
Desert Granite



WI
Weathered Iron



SB
Sedona Brown



FB
Black

Composite



CB
Camo Bronze



DT
Desert Tan



DS
Dark Slate



TRANSFORMERS AND LAMPS

FX Luminaire lighting control solutions offer unsurpassed performance to elevate outdoor living spaces. Choose any of our high-efficiency MR-16 and G4 LED Lamps for maximum design flexibility. All lamps are available preinstalled in Standard Series fixtures.

EX Transformer

This transformer provides an economical, low-wattage power and control option for LED lighting projects.

Height: 330 mm
Width: 140 mm
Depth: 127 mm
Power (Watts): 150
Finish: M



MR-16 LED Lamp

A high-quality LED lamp that comes fully potted and carries a five-year warranty.

Halogen Equivalent: 20 W, 35 W, 50 W
Lamp Life: 40,000 Hours
Beam Angle: 10°, 35°, 60°
Colour Temperature: 2,700K, 3,000K, 3,900K
VA Output: 4.3, 5.4, 6.5



MR-16 ZD Lamp

Use this high-quality LED lamp to add zoning and dimming capabilities to any fixture connected to a Luxor Controller.


Halogen Equivalent: 35 W, 50 W
Lamp Life: 40,000 Hours
Beam Angle: 10°, 35°, 60°
Colour Temperature: 2,700K, 3,000K, 3,900K
VA Output: 5.4, 6.5



G4 LED LAMP

An energy-efficient replacement lamp featuring a unique, protective design that ensures longevity in the field.

Halogen Equivalent: 10 W, 20 W, 35 W
Lamp Life: 33,000 Hours
Colour Temperature: 2,700K
VA Output: 1.1, 1.7, 2.6



FINISHES

Powder Coat: Specialty



FW
Flat White



SV
Silver

Metal



SS
Stainless Steel

Powder Coat: Standard (for Controllers and Transformers)



M
Matte Grey

Certifications



CE Certified
All products are CE certified. See product details for requirements.



IP Rating
Indicates water and dust resistance.



Indicates accessory required for CE compliance. See product details.



LUXOR® CONTROLLER

When Luxor Technology controls an LED landscape lighting system, lights don't simply turn on and off. They come alive! Luxor is the most advanced and flexible low-voltage landscape lighting transformer on the market.

Luxor Controller



Our premium lighting control solution offers zoning, dimming, and colour creation capabilities, plus optional Wi-Fi control.

Height: 330 mm
Width: 203 mm
Depth: 160 mm
Power (Watts): 300 W
Finish: M, SS



Key Benefits:

- **Zone Control:** Turn individual or groups of fixtures on and off at desired times.
- **Dimming Control:** Adjust the intensities of individual or groups of fixtures from 0-100%.
- **Colour Control:** Choose from 30,000 vibrant colours.
- **Colour Palette:** Generate and save up to 250 custom colours.
- **Scene and Theme Creation:** Design up to 40 themes ranging from every-night living to holidays and special celebrations.
- **Calendar-Based Programming:** Ensure specific programs run only when needed with dedicated date-range programming.
- **Smart Home Integration:** Integrate and control Luxor with today's most popular smart home automation systems.

Wireless Control

Interact with the controller using iOS® or Android™ devices. Incorporate wireless control using the preinstalled LAN Module.



WIFIMOD2: Wi-Fi Module
WIFIMOD2RMT: Wi-Fi Module Remote Mount
LAM: Light Assignment Module



Set Your Location: Use the built-in map to ensure accurate sunrise and sunset times based on the current date and your time zone.



LUXOR APP CONTROL

With the Luxor App, you can adjust fixture intensity and colour, create unique themes, and fine-tune your colour palette for special occasions — from anywhere!



Groups

Adjust intensity and colours of individual or groups of fixtures to fine-tune your lighting design.



Colour Creation

Create up to 30,000 colours using the latest RGBW LED technology.




Download on the
App Store

Visit fxl.com/luxor-ios



GET IT ON
Google Play

Visit fxl.com/luxor-android



Themes

Design one-of-a-kind holiday displays, create team spirit for the big game, or add company colours for corporate events.




Programming

Create custom lighting schedules for everyday living, holidays, and celebrations.





GET IN THE ZONE



Luxor's zoning and dimming capabilities provide virtually limitless design possibilities. Easily adjust intensity from 0-100% for individual fixtures or groups of fixtures to create the perfect mood for any setting.




Sunset



Evening



Midnight





DAZZLING COLOURS

Using state-of-the-art LED technology, Luxor lets you create perfect scenes with a spectrum of 30,000 beautiful colours. Adjust colour temperatures to match vegetation and architecture to offer distinctive landscape looks throughout the year.

Living in the Dark?

An outdoor lighting system will expand nighttime living spaces, enhance safety and security, and add instant curb appeal to any home.



Warming Up

GROUP 1



HUE: 43°
SAT: 38%

GROUP 2



HUE: 43°
SAT: 38%

GROUP 3



HUE: 43°
SAT: 38%

GROUP 4



HUE: 43°
SAT: 38%



Colour Match

GROUP 1



HUE: 140°
SAT: 20%

GROUP 2



HUE: 100°
SAT: 25%

GROUP 3




HUE: 140°
SAT: 20%

GROUP 4



HUE: 100°
SAT: 25%





LUXOR LINKING

With Luxor Linking, you can hardwire up to nine Luxor Satellite Controllers while maintaining a single point of control. This technique improves Wi-Fi connectivity and simplifies large or complex lighting designs.



Luxor Satellite Controller


Luxor Linking and the Luxor Satellite Controller provide an innovative and economical solution for designing and expanding Luxor Lighting Control Systems.

Height: 330 mm
Width: 203 mm
Depth: 160 mm
Power (Watts): 300 W
Finishes: M, SS



Max System Configuration

1 Primary Luxor Controller + 9 Luxor Satellite Controllers or 914 m of cable between the primary and farthest satellite





LUXOR ACCESSORIES

The Luxor CUBE Device transforms the Luxor Controller into a total smart yard management solution. Use the CUBE to control carriage, entry pillar, holiday, and bistro lights, as well as any item with a relay input.



Luxor CUBE

Zone and dim other brands of lighting fixtures and control outdoor elements such as gates and pumps.

Models: Low-Voltage, Line-Voltage, and a combined Relay/0-10 V



Low-Voltage Lights



Line-Voltage Lights



Outdoor Elements

Control all outdoor lighting elements with the Luxor Controller



FX Luminaire Lights
Use Designer Series LED path lights, up lights, down lights, wall lights, and specialty lights



Low-Voltage Lights + Luxor Low-Voltage CUBE
Control any brand of dimmable 12 V lighting fixtures



Luxor Controller
Zone, dim, and design with up to 30,000 colours, exclusively with Luxor Technology



Fountain Pumps + Luxor Relay/0-10 V CUBE
Control items that use relay inputs, such as gates and pond pumps



Line-Voltage Lights + Luxor Line-Voltage CUBE
Control any brand of dimmable 120 V lighting fixtures



LUXOR INTEGRATION

Seamlessly integrate the next-generation capabilities of the Luxor Controller into smart home systems for one-stop management of indoor and outdoor living spaces. Luxor fully integrates with leading home automation solutions.





BUSINESS TOOLS FOR PROFESSIONALS

FX Luminaire provides a wide range of resources to help you succeed. Gain the power to install with confidence, troubleshoot with ease, maximise energy savings, and sell with assurance.

My Design



Plan your next landscape lighting job like a pro with My Design! Leverage this free tool to simplify the lighting design process, impress your customers, and close sales faster.

All you need is a free account, and you'll be on your way to becoming a professional lighting designer.

Start designing at fxl.com/mydesign.

Key Benefits:

- ▶ **Create Stunning Effects in Night Mode:** Illustrate nighttime lighting as well as the direction and intensity of each fixture.
- ▶ **Simplify the Design Process:** Find the products you need and place them with a few clicks.
- ▶ **Easy to Use:** Create elegant lighting designs in minutes with real property images.
- ▶ **Design Like a Pro:** Prepare stunning proposals and store them in the cloud for 24/7 access.

My List



Use this simple yet powerful tool to plan installations, send your order directly to distributor branches, and add notes to specific projects. My List helps you customise unique proposals for every customer and streamline orders for your business.

Get started today at fxl.com/mylist.



Hunter University

Learn best practices for lighting specific spaces in any landscape. This comprehensive, free online program guides you through the design process and shows you how to build a lighting portfolio.

Get started today at training.hunterindustries.com.

Luxor Demo Kit



Create an immersive, at-home experience for customers to showcase the unmatched quality of our lighting products.

To order, **contact your Hunter and FX Luminaire sales manager or ask your distributor.** Use order code FXPRO-026.

See complete details for our full line of CE certified products at fxl.com/ce.

Demo Kit Includes:

- ▶ 300 W Luxor Controller: LUX300EUM
- ▶ Four 12 m rolls of studded 2 mm wire (250011790001) with wire nuts
- ▶ Four NP Up Lights*
- ▶ Two LC Wall Washes*
- ▶ Two RW Wall Wash/Directional Path Lights*
- ▶ Wireless Light Assignment Module (LAM)
- ▶ Luxor Wi-Fi Module (WIFIMOD2)

*All fixtures are enabled with ZDC Technology™ for zoning, dimming, and colour. They are powder-coated in orange or orange/back two-tone configuration.

FXLuminaire.

A Hunter Industries Company

Our mission is to create the most energy-efficient lighting products in the world while maintaining the highest level of quality and reliability. In every instance we will back our innovations with the unwavering support our customers need to succeed.



Gregory R. Hunter, CEO of Hunter Industries



Gene Smith, President, Landscape Irrigation and Outdoor Lighting

Website fxl.com | Technical Service +1-760-591-7383

USA HEADQUARTERS

1940 Diamond Street
San Marcos, CA 92078 USA
T: +1-760-744-5240
E: Support@fxl.com

EUROPE

Avenida Diagonal 523, 5o-2a
Edificio Atalaya
08029 Barcelona, Spain
T: +34 934-948-881
E: infoeurope@hunterindustries.com