INTERNATIONAL PRODUCT PORTFOLIO

Landscape & Architectural Lighting

FXLuminaire.

Enhance Your Nighttime Living Space

Landscape lighting is an affordable way to beautify your home and create additional living space without costly renovations. Add a low-voltage lighting system to elevate outdoor gatherings, illuminate walkways for enhanced safety, highlight architectural details, or create curb appeal.

- Energy Efficiency
- Heat Reduction
- Consistent Light Output
- Extended Fixture Life

ACCENT LIGHTS

Vantage™ RS

This adaptable up light allows designers to use different lamps to create custom effects while maintaining consistency in style.

Height: 400 mm, 500 mm (LS)
Diameter: 64 mm
Lamp: MR-16
Finish: BZ, DG, WI, FB, SB
Material: Aluminium

AL | IP 65 | CE

Evo™ EA-51

This accent light features an exceptional design that can easily handle the requirements of lighting a two-story structure or 6 m tree.

Height: 163 mm
Diameter: 67 mm
Lamp: MR-16
Finish: BC
Material: Injection-Moulded Composite

CP | IP 65 | CE

Vantage MU

This classic aluminium up light accepts MR-16 Lamps.

Height: 190 mm, 220 mm (LS)
Diameter: 56 mm
Lamp: MR-16
Finish: BZ, DG, WI, FB, SB, FW*†, SV*†
Material: Aluminium

AL | IP 65 | CE

Designer™ NP

This highly versatile up light is built to accommodate all aspects of your up-lighting needs.

Height: 213 mm, 279 mm (LS)
Diameter: 69 mm
Source: Integrated LEDs
Finish: BZ, DG, WI, SB, FB, FW*†, SV*†
Material: Aluminium

AL | IP 65 | CE

Exa™ XA-70

This high-output, low-voltage solution offers three precision beam angles, two correlated colour temperatures, and multiple mounting orientations.

Height: 285 mm
Diameter: 84 mm
Source: Integrated LEDs
Finish: BZ, DG, WI, FB, SB, FW*†, SV*†
Material: Aluminium

AL | IP 66 | IP 67 | CE

Pinnacle™ FR

Bring the elegance and performance of precious metals to any project with this stylish fixture.

Height: 170 mm, 191 mm (LS)
Diameter: 50 mm
Source: Integrated LEDs
Finish: CU, AB*, AT*, NP*†
Material: Copper/Brass
CE Required Accessory: GM-XX**

BS | CU | IP 65 | CE

Path Lights

PATH LIGHTS

Vantage SP-A

Designed for minimalist themes, this fixture's beam spread provides maximum projection with low glare.

Height: 368 mm
Diameter: 92 mm
Lamp: G4
Finish: BZ, DG, WI, FB, SB, FW*†, SV*†
Material: Aluminium
CE Required Accessory: GM-XX**

Evo EP-31

This fixture features a small footprint with a globe-stye lens and built-in shade reflector for optimum lumen output.

Height: 387 mm
Diameter: 122 mm
Lamp: G4
Finish: BC
Material: Mould-Injected Composite

Runa™ PM

A parabolic reflector, diffuser cone, and optics work together to produce long projection beam spread with no glare.

Height: 356 mm, 470 mm (XT)
Diameter: 64 mm
Source: Integrated LEDs or MR-16 Lamp
Finish: BZ, DG, WI, SB, FB, FW*†, SV*†
Material: Aluminium

Modern™ M-PZ

Engineered with highly durable die-cast aluminium, this versatile path light is a perfect addition to modern lighting designs.

Height: 562 mm
Width: 64 mm
Depth: 187 mm
Source: Integrated LEDs
Finish: BZ, DG, WI, SB, FB, FW*†, SV*†
Material: Aluminium

Modern M-PL

This ultra-modern path light combines the versatility of die-cast aluminium with minimalist aesthetics to complement a range of contemporary installations.

Height: 541 mm
Width: 55 mm
Depth: 187 mm
Source: Integrated LEDs
Finish: BZ, DG, WI, SB, FB, FW*†, SV*†
Material: Aluminium

Modern M-PJ

Add style and functionality to modern installations with this sleek fixture constructed of durable aluminium that stands up to the elements.

Height: 562 mm
Width: 71 mm
Depth: 187 mm
Source: Integrated LEDs
Finish: BZ, DG, WI, SB, FB, FW*†, SV*†
Material: Aluminium

FXLuminaire.

LEDGE LIGHTS

Designer LF

This hardscape ledge light easily fits between a block wall and a capstone for a neat, clean installation.

Height: 22 mm
Width: 170 mm
Depth: 25 mm
Source: Integrated LEDs
Finish: AB*, AT*, BS, CU, NP*†, BZ, DG, WI, SB, FB, FW*†, SV*†
Material: Brass or Aluminium

AL | BS | CU | IP 65 | CE

Modern SRP

Featuring a specially designed silicone body, this adaptable fixture delivers soft, even lighting without hot spots.

Length: 3.1 m or 12 m
Source: Integrated LEDs
Material: Silicone

IP 65 | CE

Modern SRP RGBW With SRP-CC

This vibrant and versatile wall light delivers beautiful colours for illuminating stair ledges, outdoor patios, hardscape elements, and more.

Length: 3.1 m or 6.1 m
Source: Integrated LEDs
Material: Silicone
Required Accessory: SRP-CC

IP 65 | CE

IN-GROUND LIGHTS

Exa XN-70

Combining an output of 1,000 lumens with three precision beam angle options, this weathertight fixture delivers exceptional performance.

Height: 123 mm
Diameter: 178 mm
Source: Integrated LEDs
Finish: SS, BZ, DG, WI, FB, SB, FW*†, SV*†
Material: Stainless Steel

SS | IP 68 | CE

Terra KG

This subterranean LED fixture offers flat- and angled-top options in a variety of colours.

Height: 229 mm
Diameter: 152 mm
Source: Integrated LEDs
Finish: BZ, DG, WI, FB, SB, CB, FW*†, SV*†, BS, AB*, AT*, NP*†
Material: Brass, Aluminium, or Composite

BS | AL | CP | IP 67 | CE

Terra FC

This subterranean well light provides controlled, glare-free illumination for smaller spaces.

Height: RG: 122 mm,
LV: 130 mm, **CW:** 173 mm
Diameter: 102 mm
Lamp: MR-16
Finish: BS, NP*†, CB, DT
Material: Brass or Composite

BS | CP | IP 67 | CE

*May require longer lead time †Non-returnable **XX = Finish code

Wall Washes and Pendant Lights

WALL WASHES

Designer LC

The expansive spread of this robust fixture is perfect for lighting facades and canopies.

Height: 165 mm
Width: 114 mm
Depth: 76 mm
Source: Integrated LEDs
Finish: AB*, AT*, BS, NP*†, BZ, DG, WI, SB, FB, FW*†, SV*†
Material: Brass or Aluminium

AL | BS | IP65   CE

Designer PB

Featuring a wider angle, this compact LED wall wash offers a broader lighting option for larger structures and spaces.

Height: 152 mm
Width: 98 mm
Depth: 50 mm
Source: Integrated LEDs
Finish: BZ, DG, WI, SB, FB, FW*†, SV*†, BS, AB*, AT*, NP*†
Material: Brass or Aluminium

AL | BS | IP65   CE

Exa XW-70

At 1,200 lumens, this durable wall wash offers high output with a patent-pending mechanical design for mounting in any direction.

Height: 211 mm
Width: 152 mm
Depth: 89 mm
Source: Integrated LEDs
Finish: BZ, DG, WI, FB, SB, FW*†, SV*†
Material: Aluminium

AL | IP66 | IP67   CE

PENDANT LIGHTS

Runa VE

This highly versatile up light is built to accommodate all aspects of your up-lighting needs.

Height: 216 mm, 264 mm (Sleeve)
Diameter: 69 mm
Source: Integrated LEDs
Finish: BZ, DG, WI, SB, FB, FW*†, SV*†
Material: Aluminium

AL | CU | IP65   CE

FXLuminaire.

Surface-Mounted and Underwater Lights

SURFACE-MOUNTED LIGHTS

Modern NL Up/Down Wall Sconce

This wall-mounted, geometric square sconce offers down or up/down configurations for peak flexibility.

Height: 185 mm
Width: 81 mm
Depth: 86 mm
Source: Integrated LEDs
Finish: AB*, AT*, BS, CU, NP*†, BZ, DG, WI, SB, FB, FW*†, SV*†
Material: Aluminium
CE Required Accessory: WP-2G-NL-E-XX

Modern NL Downward Wall Sconce

Crafted for durability, this geometric square down light offers a spectrum of colour options when paired with Luxor® Technology.

Height: 84 mm
Width: 81 mm
Depth: 86 mm
Source: Integrated LEDs
Finish: AB*, AT*, BS, CU, NP*†, BZ, DG, WI, SB, FB, FW*†, SV*†
Material: Brass or Aluminium
CE Required Accessory: WP-2G-NL-E-XX

UNDERWATER LIGHTS

Pinnacle LL

Bring the efficiency and reliability of LED technology to underwater applications with this durable fixture.

Height: 102 mm
Diameter: 81 mm
Source: Integrated LEDs
Finish: BS
Material: Brass

Pinnacle LP

Designed for small spaces, the LP adds a unique architectural element to any water feature.

Height: 48 mm
Diameter: 69 mm
**Source:** Integrated LEDs
Finish: BS
Material: Brass

Finishes, Materials, and Certifications

The following finish options are available for FX Luminaire fixtures. Finish options are dependent on the material of the fixture. Use the model chart on the product webpage to see the options available for each fixture.

FINISHES

Metal and Powder Coat

AB	AT	NP	CU	BS	SS	FB	BZ	SB	DG	WI	SV†	FW
Antique Bronze BS/CU	Antique Tumbled BS/CU	Nickel Plate	Copper	Brass	Stainless Steel	Black	Bronze	Sedona Brown	Desert Granite	Weathered Iron	Silver	Flat White

Composite

BC	CB	DT
Black Composite	Camo Bronze	Desert Tan

Powder Coat (Controllers)

M
Matte Grey

MATERIALS AND CERTIFICATIONS

Materials

CP	AL	SS	CU	BS
CP Composite	AL Aluminium	SS Stainless Steel	CU Copper	BS Brass

Certifications

CE Certified
All products are CE Certified. See product details for requirements.

IP Rating
IP 68
Indicates water and dust resistance.

FXLuminaire.

FX Luminaire lighting control solutions offer unsurpassed performance to elevate outdoor living spaces. Choose any of our high-efficiency MR-16 and G4 LED Lamps for maximum design flexibility. All lamps are available preinstalled in Standard Series fixtures.

TRANSFORMER

EX
Transformer

CE

This transformer provides an economical, low-wattage power and control option for LED lighting projects.

Height: 330 mm
Width: 140 mm
Depth: 127 mm
Power: 150 W
Finish: M

LAMPS

MR-16
LED Lamp

IP66 | CE

Get watertight performance with this high-quality LED lamp that comes fully potted and carries a five-year warranty.

Halogen Equivalent: 20 W, 35 W, 50 W
Lamp Life: 40,000 Hours
Beam Angle: 10°, 35°, 60°
Colour Temperature: 2700K, 3000K, 3900K
VA Output: 4.3, 5.4, 6.5

MR-16
ZD Lamp

IP66 | CE

Use this high-quality LED lamp to add zoning and dimming capabilities to any fixture connected to a Luxor Controller.

Halogen Equivalent: 35 W, 50 W
Lamp Life: 40,000 Hours
Beam Angle: 10°, 35°, 60°
Colour Temperature: 2700K, 3000K, 3900K
VA Output: 5.4, 6.5

G4
LED Lamp

CE

Achieve longevity in the field with this energy-efficient replacement lamp that features a unique, protective design.

Halogen Equivalent: 10 W, 20 W, 35 W
Lamp Life: 33,000 Hours
Colour Temperature: 2700K, 3000K
VA Output: 1.0, 1.3, 1.7

Design Your World

Provide the ideal configuration for every installation with Designer Series fixtures. An array of elegant styles and powerful Luxor control allow you to create a scene that transforms any outdoor space into a masterpiece.

CONTROL

Luxor Controller

FIXTURE OPTIONS


Up Lights

Path Lights

Wall Lights

Down Lights

Wall Washes

LIGHTING EFFECTS

Create Visual Interest with Light: Use professional techniques such as moonlighting, mirroring, silhouetting, and shadowing to add visual interest and depth to any lighting design.

Moonlighting

Mirroring

Silhouetting

Shadowing

FXLuminaire.

Designer Series outdoor lighting solutions powered by Luxor Technology push the boundaries of lighting design. Offering unparalleled control, you can produce just the look you want with customer intensity options.

INTENSITY

Control the Lighting Experience: With Luxor Technology, you can create up to 250 independently adjustable lighting groups with fixtures that have a 1, 3, 6, or 9 LED capacity. You can even turn all groups on independently and dim them from 0% to 100%.

10%

33%

66%

100%

BEAM SPREAD

10°

Very Narrow

20°

Spot

35°

Flood

60°

Wide Flood

FX Luminaire Designer Series fixtures have integrated LEDs that offer many beam angle options for maximum lighting design flexibility.

Adjust to your preference using Very Narrow, Spot, Flood, or Wide Flood lenses ranging from 10° to 60°.

Luxor® Controller

When Luxor Technology controls an LED landscape lighting system, lights don't simply turn on and off. They come alive! Luxor is the most advanced and flexible low-voltage landscape lighting transformer on the market. Our premium lighting control solution offers zoning, dimming, and colour creation capabilities, plus optional Wi-Fi control.

Luxor Controller

IP54 | CE

Height: 330 mm
Width: 203 mm
Depth: 160 mm
Power: 300 W
Finish: M, SS

KEY FEATURES

- Zone Control: Turn individual or groups of fixtures on and off at desired times.
- Dimming Control: Adjust the intensities of individual or groups of fixtures from 0% to 100%.
- Colour Control: Choose from 30,000 vibrant colours.
- Colour Palette: Generate and save up to 250 custom colours.
- Scene and Theme Creation: Design up to 40 themes ranging from every-night living to holidays and special celebrations.
- Calendar-Based Programming: Ensure specific programs run only when needed with dedicated date-range programming.
- Smart Home Integration: Integrate and control Luxor with today's most popular smart home automation systems.

Set Your Location: Use the built-in map to ensure accurate sunrise and sunset times based on the current date and time zone.

Built-In Map

Interact with the controller using iOS® or Android™ devices. Incorporate wireless control using the preinstalled LAN Module.

WIFIMOD2: Wi-Fi Module
WIFIMOD2RMT: Wi-Fi Module Remote Mount
LAM: Light Assignment Module

Wireless Control

FXLuminaire.

With the Luxor App, you can adjust fixture intensity and colour, create unique themes, and fine-tune your colour palette for special occasions — from anywhere!


Groups

Adjust intensity and colours of individual or groups of fixtures to fine-tune your lighting design.

Colour Creation

Create up to 30,000 colours using the latest RGBW LED technology.

Themes

Design one-of-a-kind holiday displays, create team spirit for the big game, or add company colours for corporate events.

Programming

Create custom lighting schedules for everyday living, holidays, and celebrations.

fxl.com/**luxor-ios**

fxl.com/**luxor-android**

Get in the Zone

Luxor's zoning and dimming capabilities provide virtually limitless design possibilities. Easily adjust intensity from 0% to 100% for individual fixtures or groups of fixtures to create the perfect mood for any setting.

SUNSET

GROUP 1

0% — 100%

GROUP 2

0% — 100%

GROUP 3

0% — 100%

GROUP 4

0% — 100%

GROUP 5

0% — 100%

- ① 100%
- ② 100%
- ③ 100%
- ④ 100%
- ⑤ 100%

9 P.M.

GROUP 1

0% — 100%

GROUP 2

0% — 100%

GROUP 3

0% — 100%

GROUP 4

0% — 100%

GROUP 5

0% — 100%

- ① 0%
- ② 50%
- ③ 50%
- ④ 50%
- ⑤ 50%

MIDNIGHT

GROUP 1

0% — 100%

GROUP 2

0% — 100%

GROUP 3

0% — 100%

GROUP 4

0% — 100%

GROUP 5

0% — 100%

- ① 0%
- ② 40%
- ③ 0%
- ④ 25%
- ⑤ 30%

FXLuminaire

Dazzling Colours

Using state-of-the-art LED technology, Luxor lets you create perfect scenes with a spectrum of 30,000 beautiful colours. Adjust colour temperatures to match vegetation and architecture to offer distinctive landscape looks throughout the year.

LIVING IN THE DARK

Don't be stuck in the dark ages!
An outdoor lighting system will expand your nighttime living space, enhance safety and security, and add instant curb appeal to your home.

WARMING UP

GROUP 1

0% ──────────── 100%

HUE: 43°
SAT: 38%

GROUP 2

0% ──────────── 100%

HUE: 43°
SAT: 38%

GROUP 3

0% ──────────── 100%

HUE: 43°
SAT: 38%

GROUP 4

0% ──────────── 100%

HUE: 43°
SAT: 38%

MATCH MAKER

GROUP 1

0% ──────────── 100%

HUE: 140°
SAT: 20%

GROUP 2

0% ──────────── 100%

HUE: 100°
SAT: 25%

GROUP 3

0% ──────────── 100%

HUE: 140°
SAT: 20%

GROUP 4

0% ──────────── 100%

HUE: 100°
SAT: 25%

Luxor Linking

Luxor Linking and the Luxor Satellite Controller provide an innovative and economical solution for designing and expanding Luxor Lighting Control Systems.

Luxor Satellite Controller

IP54 | CE

Height: 330 mm
Width: 203 mm
Depth: 160 mm
Power: 300 W
Finish: M, SS

LUXOR

LSAT LSAT LSAT LSAT

LINK-MOD*

· (◯) · · LoRa long-range radio

Secure and Reliable Operation

This innovative solution uses LoRa® radio, a frequency-driven wireless communication that provides secure and stable long-range communication beyond what Bluetooth® and Wi-Fi can offer.

*Or LINK-MOD-E for use outside of North America.

Seamless Installation

The LINK-MOD mounts cleanly to the Luxor Controller cabinet. The easy-to-read LCD provides real-time system diagnostics.

FXLuminaire

The Luxor CUBE transforms the Luxor Controller into a total smart yard management solution. Use the CUBE to control carriage, entry pillar, holiday, and bistro lights as well as any item with a relay input.

## CONTROL ALL OUTDOOR LIGHTING ELEMENTS WITH THE LUXOR CONTROLLER

FX Luminaire Fixtures
Use Designer Series LED path lights, up lights, down lights, wall lights, and specialty lights

Low-Voltage Lights + Luxor Low-Voltage CUBE
Control any brand of dimmable 12 V lighting fixtures

Fountain Pumps + Luxor Relay/0–10 V CUBE
Control items that use relay inputs, such as gates and pond pumps

Line-Voltage Lights + Luxor Line-Voltage CUBE
Control any brand of dimmable 230 V lighting fixtures

Smart Home Integration

Seamlessly integrate the next-generation capabilities of the Luxor Controller into smart home systems for one-stop management of indoor and outdoor living spaces. Luxor fully integrates with leading home automation solutions.

Control4   LUTRON   RTI   SAVANT

URC   CRESTRON   ELAN

FXLuminaire

FX Luminaire provides a wide range of resources to help you succeed. Gain the power to install with confidence, troubleshoot with ease, maximise energy savings, and sell with assurance.

My Design

Plan your next landscape lighting job like a pro with My Design! Leverage this free tool to simplify the lighting design process, impress your customers, and close sales faster.

All you need is a free account, and you'll be on your way to becoming a professional lighting designer.

Start designing at **fxl.com/my-design**.

Key Benefits:

- **Create Stunning Effects in Night Mode:** Illustrate nighttime lighting as well as the direction and intensity of each fixture.
- **Simplify the Design Process:** Find the products you need and place them with a few clicks.

- **Easy to Use:** Create elegant lighting designs in minutes with real property images.
- **Design Like a Pro:** Prepare stunning proposals and store them in the cloud for 24/7 access.

My List

Use this simple yet powerful tool to plan installations, send your order directly to distributor branches, and add notes to specific projects. My List helps you customise unique proposals for every customer and streamline orders for your business.

Get started today at **fxl.com/mylist**.

Learn best practices for lighting specific spaces in any landscape. This comprehensive, free online program guides you through the design process and shows you how to build a lighting portfolio.

Get started today at **fxl.com/fx-online-training**.

Hunter® UNIVERSITY

Luxor Demo Kit

Create an immersive, at-home experience for customers to showcase the unmatched quality of our lighting products.

To order, **contact your Hunter and FX Luminaire sales manager or distributor.** Use order code FXPRO-026.

See complete details for our full line of CE Certified products at **fxl.com/ce**.

Demo Kit Includes:

- 300 W Luxor Controller: LUX-300-EU-M
- Four 12 m rolls of studded 2 mm wire (250011790001) with wire nuts
- Four NP Up Lights*
- Two LC Wall Washes*

- Two RW Wall Wash/Directional Path Lights*
- Wireless Light Assignment Module (LAM)
- Luxor Wi-Fi Module (WIFIMOD2)

All fixtures are enabled with ZDC Technology™ for zoning, dimming, and colour. They are powder-coated in orange or orange/black two-tone configurations.

FXLuminaire.

A Hunter Industries Company

Our mission is to create the most energy-efficient lighting products in the world while maintaining the highest level of quality and reliability. In every instance we will back our innovations with the unwavering support our customers need to succeed.

Gregory R. Hunter, CEO of Hunter Industries

Denise Mullikin, President, Landscape Irrigation and Outdoor Lighting

Website fxl.com | **Technical Service** +1-760-591-7383

USA HEADQUARTERS
1940 Diamond Street
San Marcos, CA 92078 USA
TEL: +1-760-744-5240

MEXICO MANUFACTURING
Calle Nordika #8615
Colonia la Joya
Parque Industrial Nordika
Tijuana, B.C., Mexico CP 22640
TEL: +011-52-664-903-1382

EUROPE
Avenida Diagonal 523, 5o-2a
Edificio Atalaya
08029 Barcelona, Spain
TEL: +34-9-34-94-88-81

AUSTRALIA
50 Lynch Street
Hawthorn, VIC 3122, Australia
TEL: +61-3-9562-9918
TEL: +1-800-438-486 (+1-800-GET-HUNTER)

MIDDLE EAST
P.O. Box 2370
Amman, 11941, Jordan
TEL: +962-6-5152882
FAX: +962-6-5152992

CHINA
B1618, Huibin Plaza
No. 8, Beichen Dong Street
Beijing 100101, China
TEL/FAX: +86-10-84975146